



| Características | |
|---------------------------|----------------------|
| Modelo | ML-RSL-30WSMDBC |
| Aplicación | Reflectores Slim SDM |
| Material | FE+Al |
| Terminado | PLATA, NEGRO |
| Pantalla | 0 |
| Indice de Protección [IP] | IP65 |
| Base | N/A |
| Dimensiones mm | 226*186*52 mm |
| Lúmenes | 2600 Lm |
| Temperatura | 3500k |
| Parámetros Eléctricos | |
| Tensión Nominal [V~] | 85-265 V~ |
| Consumo de Potencia [W] | 30W |
| Frecuencia Nominal [Hz] | 50/60Hz |
| Consumo de Corriente [A] | 0 |
| Temperatura de Operación | 0 - 40 °C |
| Beneficios | |
| Garantía | 2 Año de Garantía |
| Certificación | NOM |


Product Infomation

Product Type: ML-RSL-30WSMD BC
Product Number: 129

Product Spec: 10W

CIE Colorimetric Parameters

Chromaticity coordinates: $x=0.4271$ $y=0.3948$ $u(u')=0.2482$ $v=0.3441$ $v'=0.5162$
 CCT: $T_c=3096K$ ($duv=-0.00233$) Color Ratio: $R=0.212$ $G=0.774$ $B=0.014$
 Peak Wavelength: 598.5nm Half Bandwidth: 128.6nm
 Dominant Wavelength: 583.3nm Color Purity: 0.467
 CRI: $R_a=72.9$, $avgR(1\sim14)=64.1$, $avgR(1\sim15)=64.2$ TM30: $R_f=68$, $R_g=99$
 $R_1=71$ $R_2=80$ $R_3=87$ $R_4=72$ $R_5=70$ $R_6=72$ $R_7=79$ $R_8=52$
 $R_9=-17$ $R_{10}=53$ $R_{11}=68$ $R_{12}=46$ $R_{13}=72$ $R_{14}=92$ $R_{15}=66$
 Color Quality Scale: $Q_a=71.6$, $Q_f=71.0$, $Q_p=77.0$, $Q_g=94.0$
 $Q_1=68$ $Q_2=95$ $Q_3=67$ $Q_4=65$ $Q_5=70$ $Q_6=67$ $Q_7=68$ $Q_8=78$
 $Q_9=93$ $Q_{10}=77$ $Q_{11}=73$ $Q_{12}=73$ $Q_{13}=75$ $Q_{14}=63$ $Q_{15}=65$



Photometric Parameters

Luminous Flux: 2856.11 lm Efficiency: 87.24 lm/W Radiant Power: 8.316 W
 EEI: 0.16 Energy Efficiency Class: A+ (EU 874-2012)
 Pupil Flux: 3319.14 Plm Pupil Lumens Per Watt: 101.38 Plm/W Pupil Factor (Kp): 1.162

Electric Parameters

Voltage: 127.00V Current: 0.2600A Power: 32.74W
 Power Factor: 0.9890 Frequency: 60.00Hz

Test Infomation

Scan Range: 380~800:1nm
 Stabilization Time: 0 Min
 Max of Signal: 45783 (2712)

Photometric Method: sphere-spectroradiometer
 Photometric Condition: Sphere diameter: 1.50m, 4PI
 CCD Integration Time: 549.96 ms